



Product Overview



A Division of East West Drilling and Mining Supplies

Unit 18 23-25 Skyreach Street, Caboolture QLD 4510
P 07 5499 3865 F 07 5499 3916
International P +61 7 5499 3865 F +61 7 5499 3916
www.ewdms.com.au





Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Petrol Engines	API Rating	Automotive & Industrial Product List
Syntech M 5W40	SM/CF Synthetic	Syntech M 5W/40 Engine oil is formulated from selected synthetic base oils blended with the latest additives to provide a product which meets the latest American and European Specifications for oil used in passenger vehicles and light trucks, both petrol and diesel. Suitable for all operating conditions.
Low Vis 10W30	SM/GF-3 Semi Synthetic	This semi synthetic 10W/30 engine oil is an optimum blend of mineral and synthetic oils formulated for all modern vehicles requiring a low viscosity, fuel efficient oil. It can be used in vehicles using LPG fuel. Particularly suitable for twin cam, multi-valve engines.
Semi Synthetic 10W40	SM/CF Semi Synthetic	A semi synthetic 10W/40 engine oil with a high performance, energy conserving performance, formulated from selected high viscosity index mineral oils fortified with synthetic oil and unique additive technology. It is formulated to provide superior fuel efficiency and engine protection under all conditions.
Multi Valve 15W50	SM/CF Semi Synthetic	A synthetically enhanced oil designed to provide superior performance in modern petrol engines and light diesels. Incorporating the latest additives and technology in order to ensure maximum protection against oil thickening and provide excellent control of engine deposits.
Q Lube Multifleet 15W40	SM/CF Mineral	This high performance Motor Oil is blended from selected base oils and imported additives. It provides improved oxidation resistance and deposit control together with excellent wear protection for petrol and diesel engines in passenger cars.
Q Lube Ultra Tech 20W50 Q Lube Workshop 20W50	SM/CF Mineral SL/CF	Ultra Tech 20W/50 SM is a multi -grade motor oil developed to meet the demands of all Australian motoring conditions. It contains shear stable viscosity improvers to maintain optimum protection in severe conditions and reduce exhaust emissions. This oil contains antioxidants anti-wear additives and high levels of detergent dispersants designed to protect the engine under all operating conditions.
Q Lube Performance 25W50	SL Mineral	A high performance engine lubricant blended from premium mineral base oils with selected additives which provide maximum protection for high speed engines used in motor sport racing.
Q Lube Performance Plus 40W70	SL/CF Mineral	A higher viscosity engine oil, this 40W/70 is blended from refined base oils and a premium additive package to provide an outstanding product for all types of vehicles using LPG, leaded or unleaded fuel. It ensures excellent engine protection and cleanliness under extreme conditions.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Diesel Engines	API Rating	Automotive & Industrial Product List
Symthetic Diesel 5W30	CI-4/SL Synthetic	This synthetic diesel 5W/30 CI-4 is an extra high performance diesel engine oil, which meets the requirements of major European and American engine manufacturers. Suitable for low emission engines, as well as older units operating on high or low sulphur fuels. It provides excellent soot control and protects engines against oil oxidation and build up of engine deposits.
Low Saps 5W30	E4/SL Synthetic	Low Saps 5W/30 is a high performance synthetic engine oil formulated with the latest additives to provide a product with low emissions that can be used in passenger vehicles, light trucks, both petrol and diesel, under all operating conditions.
Low Saps 10W40	E4/SL Synthetic	Low Saps 10W/40 is a high performance synthetic engine oil formulated with the latest additives to provide a product with low emissions that can be used in passenger vehicles, light trucks, both petrol and diesel, under all operating conditions.
Turbo Diesel 15W40	CI-4/SL Semi Synthetic	Turbo Diesel 15W/40 CI-4 is a semi synthetic oil formulated for the latest four stroke diesel engines and meets 2004 exhaust emission standards. It provides optimum protection for engines using EGR or other exhaust emission compomnentry and also ensures superior soot control.
Robia Max Diesel 15W40	CI-4/SL Semi Synthetic	A Semi Synthetic diesel oil incorporating advanced developments in lubrication chemistry and viscosity index premium base oils, resulting in a high performance diesel engine oil. Formulated to meet the latest GLOBAL DHD-1 high performance specifications as a long drain lubricant with exceptional anti wear and anti corrosion properties. Suitable for European, American and Japanese diesel engines operating under severe conditions.
Q Lube Multi Fleet Diesel 15W40	CF-4/SJ Mineral	This 15W/40 oil is a high performance diesel oil containing anti-oxidants, anti-wear additives and high levels of detergent dispersants designed to protect the engine under all operating conditions. It includes shear stable viscosity improvers to maintain good protection under hot operating conditions and reduces exhaust emissions. This oil maintains excellent control of oil consumption and protects against rust and corrosion.
Q Lube Diesel Max 15W40	CI-4/SL Mineral	This 15W/40 diesel engine oil is blended from high quality base oils and the latest approved additives required to meet the stringent requirements of the new CI-4 classification. It provides high levels of soot control, resistance to wear, protection against oil oxidation and resistance to oil thickening.
Q Lube Turbo Diesel 15W40	CH-4 Mineral	This 15W/40 diesel engine oil is blended from selected refined base oils and the finest additive packages available. It provides superior performance in turbo charged diesel engines operating under severe load conditions and provides exceptional control of piston deposits and soot accumulation.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Agricultural Oils	API Rating	Automotive & Industrial Product List
STOU Super Tractor 20W40	CF-4/SF/GL-4 Mineral	Super Tractor Oil Universal is a multi-functional SAE 20W/40 oil used in engines, manual gearboxes, wet-brake systems and hydraulics and tractors, construction equipment, conventional diffs and power take-off units.
Agritans UTPP 10W30 Universal tractor transmission fluid	Mineral	This Universal Tractor Transmission Oil is a multi-purpose tractor transmission and hydraulic oil blended to optimize performance in agricultural, construction and industrial equipment.
Power Trans 30 to 4	Mineral	Power Trans 30 is manufactured from superior additive technology with high quality base oil. It has been formulated to meet the requirements of Caterpillar equipment specifying TO-4 as well as Allison C4 and Komatsu Micro-Clutch specifications. This oil offers maximum transmission performance as well as providing superior gear wear protection and excellent thermal stability.
Power Trans 50 to 4	Mineral	Power Trans 50 has been developed from superior additive technology with high quality base oil. It has been formulated to meet the requirements of Caterpillar equipment specifying TO-4 as well as Allison C4 and Komatsu Micro-Clutch specifications. This oil offers maximum transmission performance as required by modern power shift transmissions, at the same time as providing superior gear wear protection and excellent thermal stability.
Specialty Hydraulic Oils		Automotive & Industrial Product List
Zinc Free Hydraulic Oil 68		Zinc Free Hydraulic 68 is a top-tier oil, that supports the latest technology for mineral based hydraulic oils. This hydraulic oil contains oxidation and corrosion inhibitors as well as antifoam and anti-wear additives. The unique formulation ensures a high resistance to thickening in service, excellent protection of machined surfaces against corrosion and the avoidance of air entrainment in the oil, which can cause jerky movements or partial failure of hydraulic mechanisms.
Harvester Blue Hydraulic Oils		Harvester Hydraulic 68 is a new generation, mineral based hydraulic oil which employs the latest anti-wear technology. Its principle feature is its extreme shear stability which means the oil maintains its original viscosity in normal service. This oil helps ensure minimal downtime with machinery such as harvesters which operate for extended periods of time under extreme shear and temperature range.
Bio Degradable Hydraulic Oil		Bio-Tech Hydraulic oil is made from Canola Oil, a completely natural vegetable oil, and ash less additives, making it 90-95% biodegradable over a 30 day period. The specially selected ingredients make this a premium performance, anti-wear, bio-degradable hydraulic oil.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Hydraulic Oils		Automotive & Industrial Product List
Hydraulic Oil 10W		Hydraulic 10W is a high quality oil that is widely used in hydraulic systems particularly mobile construction plants and alike. Due to the low viscosity this lubricant performs well in cold temperature start up, providing minimum cavitations. This oil provides excellent protection against wear and corrosion and ensures extended hydraulic system life.
Hydraulic Oil AW ISO 32		Hydraulic AW ISO 32 is a high quality, anti-wear hydraulic oil containing anti-oxidant, anti-corrosion and anti-foam additives. It has good stability and demulsibility properties and meets the requirements of major hydraulic pump and equipment manufacturers.
Hydraulic Oil AW ISO 46		Hydraulic AW ISO 46 is a high quality, anti-wear hydraulic oil containing anti-oxidant, anti-corrosion and anti-foam additives. It has good stability and demulsibility properties and meets the requirements of major hydraulic pump and equipment manufacturers.
Hydraulic Oil AW ISO 68		Hydraulic 68 is a high quality, anti-wear hydraulic oil containing anti-oxidant, anti-corrosion and anti-foam additives. It has good stability and demulsibility properties and meets the requirements of major hydraulic pump and equipment manufacturers.
Hydraulic Oil AW ISO 100		Hydraulic AW ISO 100 is a high quality, anti-wear hydraulic oil containing anti-oxidant, anti-corrosion and anti-foam additives. It has good stability and demulsibility properties and meets the requirements of major hydraulic pump and equipment manufacturers.
Hydraulic Oil AW ISO 150		Hydraulic AW ISO 150 is a high quality, anti-wear hydraulic oil containing anti-oxidant, anti-corrosion and anti-foam additives. It has good stability and demulsibility properties and meets the requirements of major hydraulic pump and equipment manufacturers.
Hydraulic HVI Grade		Automotive & Industrial Product List
Hydraulic Oil HVI 32		Hydraulic HVI 32 is a premium quality hydraulic oil developed for use in high speed, high pressure piston, vane and gear pumps. It is formulated from the highest quality base oil and specially selected additives, including anti-foam, anti-rust, anti-oxidant and zinc anti-wear additives.
Hydraulic Oil HVI 46		Hydraulic HVI 46 is a premium quality hydraulic oil developed for use in high speed, high pressure piston, vane and gear pumps. It is formulated from the highest quality base oil and specially selected additives, including anti-foam, anti-rust, anti-oxidant and zinc anti-wear additives.
Hydraulic Oil HVI 68		Hydraulic HVI 68 is a premium quality hydraulic oil developed for use in high speed, high pressure piston, vane and gear pumps. It is formulated from the highest quality base oil and specially selected additives, including anti-foam, anti-rust, anti-oxidant and zinc anti-wear additives.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Gear Oils		Automotive & Industrial Product List
Q Lube 75W90 Gear Oil GL5		Gearlube 75W/90 is a multi-purpose, extreme pressure gear oil blended from premium base oils and the highest quality additive pack. This formulation ensures excellent protection against corrosion and oxidization and contributes towards longer gear life.
Q Lube 80W90 Gear Oil GL5 Multi Gear		Multi-Gear 80W/90 is a multi-purpose thermally stable extreme pressure gear oil formulated using advanced extreme pressure additives supplemented with anti-wear additives to provide maximum protection.
Q Lube 85W140 EP Gear Oil GL5		EP Diff Oil 85W/140 is a premium quality, multi-purpose gear lubricant primarily intended for the lubrication of commercial fleet axles and final drives in heavy duty service. It has outstanding protection against low speed/ high torque wear and against high speed scoring. This oil inhibits rust and corrosion and can be used for limited slip differential axles.
Q Lube 80W Gearbox Light Oil		Gearbox Light is a multi-purpose extreme pressure gear oil that ensures easy gear changes under cold conditions.
Q Lube LS90 Gear Oil GL5		Gear Oil LS 90 is a friction modified extreme pressure gear oil. It contains advanced extreme pressure additives along with limited slip additives which makes this oil suitable for use in limited slip differentials.
Q Lube LS 140 Gear Oil GL5		Gear Oil LS 140 is an extreme pressure gear oil blended with a special additive to provide premium performance in limited slip differentials.
Syngear LS75W90 Super Shift GL5	Full Synthetic	A multi-purpose, extreme pressure gear oil. The synthetic formulation provides significantly enhanced performance. This oil is designed for situations where severe or critical applications are encountered, including extremely high or low temperatures and heavy loads.
Syngear LS80W140 P- Drive GL5	Full Synthetic	A fully synthetic, multi-purpose, extreme pressure gear oil. The synthetic formulation provides significantly enhanced performance and extended drain periods under normal operating conditions.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Transmission Fluids ATF		Automotive & Industrial Product List
ATF Dexron 11 Type D		ATF DX-IID is a power transmission fluid blended from premium base oils and additives to meet the requirements of transmissions in passenger cars, trucks and commercial vehicles. The superior additives decrease wear, oxidation and friction.
ATF Dexron 111		ATF DX-III H is a multi-functional automatic transmission fluid for use in cars, trucks, buses and heavy duty machinery. It supersedes previous Dexron II transmission fluid with improved high temperature characteristics. This oil also offers improved gear durability and shift feel on cold starts.
ATF 95LE (ATF Type MH)		ATF 95LE is a specially blended automatic transmission fluid which ensures full transmission functionality, it offers excellent gear durability as well as thermal and chemical stability. It provides good shift feel on cold starts and at operating temperature. This oil is compatible with all gaskets and seals.
ATF Type "M"		ATF Type M is a special automatic transmission fluid for use in Mitsubishi front wheel drive passenger cars and four wheel drives.
ATF Dexron V1 Equivalent		ATF DX-VI is blended to meet the requirements of General Motors latest automatic transmissions. This oil provides improved oxidation resistance, wear protection and shear stability as well as ensuring longer working life.
Super Trans Dexron 111	Synthetic	Supertrans ATF is a full synthetic transmission fluid for use in cars including commercial vehicles and four wheel drive's. It is particularly recommended for transmissions operating under particularly arduous conditions.
Syntech Multi Trans "J Matic"	Synthetic	Syntech Multi-Trans is a full synthetic multipurpose automatic transmission fluid, providing smoother auto-shifts and longer life. This oil is especially designed to excel under arduous conditions, including extreme operating temperatures.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

EP Industrial Gear Oil	Industrial Gear Oils	Automotive & Industrial Product List
Industrial Gear Oil EP 150		EP 150 Industrial Gear Fluid is a multi-purpose extreme pressure gear oil based on advanced extreme pressure additives supplemented with anti-wear additives. This oil has a Timken OK load of 28kg and passes FZG Load Stage 12.
Industrial Gear Oil EP 220		EP 220 Industrial Gear Fluid is a multi-purpose extreme pressure gear oil based on advanced extreme pressure additives supplemented with anti-wear additives. This oil has a Timken OK load of 28kg and passes FZG Load Stage 12.
Industrial Gear Oil EP320		EP 320 Industrial Gear Fluid is a multi-purpose extreme pressure gear oil based on advanced extreme pressure additives supplemented with anti-wear additives. This oil has a Timken OK load of 28kg and passes FZG Load Stage 12.
Industrial Gear Oil EP 680		EP 680 Industrial Gear Fluid is a multi-purpose extreme pressure gear oil based on advanced extreme pressure additives and anti-wear additives. This oil has a Timken OK load of 28 and passes FZG Load Stage 12.
Specialty Oils Metals - Machines		Automotive & Industrial Product List
Neat Cut SS (Ezicut)		Neat Cut SS is an all purpose neat cutting oil which provides excellent performance in machining tough ferrous alloys, mild steel and cast iron in the operations stated below. This oils is non staining with excellent rust inhibiting properties and provides good surface finishes.
Slidaway Oil 68		Slidaway Oil 68 is a tacky lubricant, blended with extreme pressure and anti-wear additives, minimizing chatter and stick slip.
Rockdrill 320		Rockdrill 320 is a specially formulated extreme pressure oil used in pneumatic tools. It has antiwear tackiness and moisture absorbing additives incorporated in its formulation.
Heat Transfer Oil		Heat Transfer Oil is blended with special additives which ensure a high resistance to thermal decomposition and also excellent protection against corrosion. This product can also be used as a quenching oil.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Compressor Oils	Compressor Oils	Automotive & Industrial Product List
Compressor Oils 46		Compressor Oil AC 46 is blended from high quality mineral base oils and premium additives, which provide excellent protection for mobile and stationary machines working under arduous conditions. The formulation ensures good oxidation resistance and enhanced corrosion resistance that protects against water contamination.
Compressor Oil 68		Compressor Oil AC 68 is blended from high quality mineral base oils and premium additives, which provide excellent protection for mobile and stationary machines working under arduous conditions. The formulation ensures good oxidation resistance and enhanced corrosion resistance that protects against water contamination.
Compressor Oil 100		Compressor Oil 100 is blended from high quality mineral base oils and premium additives, which provide excellent protection for mobile and stationary machines working under arduous conditions. The formulation ensures good oxidation resistance and enhanced corrosion resistance that protects against water contamination.
Brakes-Coolant-Power Steering		Automotive & Industrial Product List
Brake Fluid DOT 4		Brake Fluid is a high performance brake fluid suitable for both passenger and commercial vehicles including ABS systems. It is suitable for disk and drum brakes and is resistant to high temperatures, as well as having low moisture absorption.
Brake Fluid DOT 3		Brake Fluid Dot 3 is an inhibited glycol ether blend meeting the requirements of a general purpose hydraulic brake fluid of average performance. It is specifically designed for the low to medium performance modern car as well as older cars with low heat load around the braking system.
Brake Cleaner Recolcol		A Fast drying solvent cleaner specially formulated to remove brake pad residue
Coolant AF/AB Anti Freeze-Anti Boil		Anti-Freeze/ Anti-Boil Coolant is an ethylene glycol long life coolant concentrate. It is specially formulated to give a high degree of corrosion protection to all metals found in modern petrol and diesel engine cooling systems including aluminium. It does not contain amines, nitrates, borates, phosphates or silicate. This product provides excellent protection against cavitations erosion and liner pitting, substantially increasing operating life of water pumps.
Power Steering Fluid		A multi-functional power steering fluid which can be used in most power steering systems where Dexron, Dexron II & Dexron III are called for. *Prevents leakage & squealing *Reduces oxidation & foaming *Protects against pump wear *Ensures seals & rings remain pliable



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Cleaning Products		Automotive & Industrial Product List
OIL SORB		<p>Oil Sorb is a popular industrial spillage absorbent which can retain up to 100% of it's own weight in liquid. It soaks up oils and all liquid chemicals and also rapidly reduces the evolution of any toxic fumes from the spill. Even when crushed, Oil Sorb will not release the absorbed fluid or become slippery, making it appropriate for use on roads, in garages and factories.</p> <p>Oil Sorb is calcined (super-heated) Diatomaceous Earth. Diatomaceous Earth is a sedimentary rock made up primarily of amorphous silica. The heating process does not exceed the temperature necessary to convert amorphous silica to crystalline silica.</p>
ABSORB Granules Premium Absorbent		<p>Fast acting, low dust vegetable fibre absorbs over 5 times its weight in Hydrocarbons or water based liquids. It is 100% bio-degradeable and contains microbes that eat Hydrocarbons.</p> <p>We access a full range of spill materials. Please ask you Representative for details.</p>
Solvent Degreaser "Recosol"		A specially formulated general purpose emulsifiable solvent degreaser, designed to remove oil, grease and soil from parts and equipment.
Citrus Based ECO Degreaser		
Truck wash - Vehicle AC-40		Vehicle Wash is a ready to use liquid designed to remove dirt, road grime, grease and oil from all vehicles including off road, trucks, buses, cars and heavy equipment.
Muck Off Hand cleaner		Muck Off Hand cleaner is a premium quality water based hand cleaner designed for use in a variety of industries where heavy duty cleaning is required. It contains polymer beads and extra grit for deep cleansing.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Industrial Greases		Automotive & Industrial Product List
Lithplex TAC Blue EP2 Grease Blue		Lithplex Tac EP2 Grease is a multi-purpose lithium complex extreme pressure grease with excellent anti-wear and high load carrying properties. Effective rust, oxidation and corrosion inhibitors and tackiness additives ensure excellent performance in both high and low temperature conditions. This grease is resistant to water washout and is very shear resistant. Meets NLGI Certification GC-LB.
Ultra EPT Truck and Farm Grease Red		Truck & Farm Grease is manufactured using a lithium complex base, polymers and selected synthetic and paraffinic base oils. These are combined with rust, corrosion and oxidation inhibitors, extreme pressure and tackiness adhesion additives in order to handle unusually high load and shock service conditions.
Super Molyithplex EP2 Grease Black Tac		Moly Lithplex Tac EP2 Grease is a superior molybdenum disulphide grease coupled with proven rust, oxidation and corrosion inhibitors. The "moly" and tackiness adhesive additives ensure long service life under high and shock load conditions. Moly Lithplex Tac EP2 Grease is resistant to water washout and is very shear resistant.



Eastwest Drilling and Mining Supplies Pty Ltd

Phone 07 54993865

Fax 07 54993916

Email barry@eastwestoil.com.au

Mower Shop		Automotive & Industrial Product List
General Purpose 2 Stroke TC (Green)		Two Stroke General Purpose is a high quality two stroke oil for use in small air-cooled two stroke engines. It has excellent thermal stability and low ash.
Hi Performance 2 Stroke (Blue)		High Performance Two Stroke is an easy mix, two stroke motor oil for high powered two stroke engines, including direct injection systems, requiring petrol to oil ratio's up to 100:1. This oil has been designed to minimise spark plug and engine deposits with low ash forming properties for superior piston cleanliness. It has been formulated for oil injection and premix systems.
4 Stroke SAE 30		4 Stroke is a premium quality engine oil that has a proven background of lubrication in petrol and diesel engines. The low combustion ash forming properties combined with modern antiwear additives, ensure engine cleanliness and wear is effectively maintained.
Low Vis 10W30 SL/GF2 (Honda 4 stroke)		Low Vis 10W/30 is a high performance, energy conserving crankcase oil formulated from selected high viscosity index mineral oils and unique additive technology. It is formulated to provide superior fuel efficiency and engine protection under all conditions, especially during low temperature start up.
Ultra Cut Chain and Bar Oil		Ultra Cut Chain & Bar is a very tacky bar lube oil, blended to satisfy the stringent demands of sawmills and commercial chainsaw operators in the timber cutting industry. This product contains special additives to resist fling-off and has enhanced extreme pressure properties, giving extended life to the chain and bar. Ultra Cut Chain and Bar also contains surface wetting agents that displace moisture from sappy timbers.
Lumber Lube		Lube lube has been developed especially for use on the Harvester Heads of Forestry Thinning Harvester Machines in particular the Valmet type.
Bio Degradable Chain Oil		Bio-Tech Chain Oil is a tacky biodegradable lubricant designed to provide lubrication to open chains in sawmills.
Marine Shop		Automotive & Industrial Product List
Premium Outboard TCW111		Premium Outboard TC-W3 is an ash free, easy mix two stroke oil for high powered two stroke engines, including direct injection outboards, requiring petrol to oil ratio's up to 100:1. This oil is approved for use in Johnson, Mercury and Evinrude etc outboards. This formulation has been designed to minimise spark plug and engine deposits.
Marine SAE 30		Marine G SAE 30 is a quality engine oil that can be utilised in the lubrication of small petrol and diesel marine engines. This product maintains cleaner pistons and rings whilst controlling sludge, varnishing and carbon build up. The low combustion ash forming properties combined with modern anti-wear additives, ensure engine cleanliness and wear is effectively maintained